



Official sponsor Rugby Viadana







## ***Lavor produce for you***



**page 4-44**



**page 45-60**



**page 61-64**











**page 65-68**



**page 69-71**



## High pressure cleaners

	 <b>COLD WATER</b>	 <b>HOT WATER</b>	 <b>THERMIC</b>
 <b>COLD WATER</b>	✓	✓	✓
 <b>HOT WATER</b>		✓	
	✓	✓	
 <b>DIESEL</b>		✓	
 <b>GASOLINE</b>			✓





# WASHING LEVEL



## Merchandising kit



Posters



Data strips



Kit "Standard line": 5 posters + 2 x 8 data strips Cod. 7.197.0192

Kit "Design line": 5 posters + 2 x 8 data strips Cod. 7.197.0193

Kit "3T line": 5 posters + 2 x 3 data strips Cod. 7.197.0194

## Spotter



POWER 15	code 7.197.0174
WASHER 17	code 7.197.0175
SKIPPER 19	code 7.197.0176
RUNNER 20	code 7.197.0177
BEST 28	code 7.197.0178
INDEPENDENT 1900	code 7.197.0179
SONIC 15	code 7.197.0180
STARJET 17	code 7.157.0181
TIGER 19	code 7.197.0182
MHR 20	code 7.197.0183
EAGLE 28	code 7.197.0184
XTR	code 7.197.0185
MEK	code 7.197.0186
TEMPORALE	code 7.197.0189
TEMPESTA	code 7.197.0190
TORMENTA	code 7.197.0191
RIO	code 7.197.0197
MISSOURI	code 7.197.0198
WASHER 15	code 7.197.0200
WASHER 19	code 7.197.0201
TF 19	code 7.197.0202
EQ 20	code 7.197.0203
MACH 20	code 7.197.0204
EAGLE 24	code 7.197.0205
HURRICANE	code 7.197.0206
YUKON	code 7.197.0207













## Standard line

# Standard line











<i>Sonic 15</i>	<i>Starjet 17</i>	<i>Tiger 19</i>	<i>MHR 20</i>	<i>Eagle 28</i>	<i>Independent 1900</i>	<i>XTR 1007</i>	<i>MEK 1108</i>
 WASHING LEVEL	 WASHING LEVEL	 WASHING LEVEL	 WASHING LEVEL	 WASHING LEVEL	 WASHING LEVEL	 HOT WATER	 HOT WATER
<b>110</b> bar max	<b>120</b> bar max	<b>130</b> bar max	<b>140</b> bar max	<b>160</b> bar max	<b>130</b> bar max	<b>135</b> bar max	<b>145</b> bar max
<b>360</b> l/h max	<b>360</b> l/h max	<b>420</b> l/h max	<b>420</b> l/h max	<b>510</b> l/h max	<b>520</b> l/h max	<b>420</b> l/h max	<b>450</b> l/h max
<b>1500</b> W	<b>1700</b> W	<b>1900</b> W	<b>2100</b> W	<b>2800</b> W	<b>2,5</b> HP	<b>2100</b> W	<b>2300</b> W



## Design line






<i>Power 15</i>	<i>Washer 17</i>	<i>Skipper 19</i>	<i>Runner 20</i>	<i>Best 28</i>	<i>Independent 1900</i>	<i>Rio 1108</i>	<i>Missouri 1310</i>
 WASHING LEVEL	 WASHING LEVEL	 WASHING LEVEL	 WASHING LEVEL	 WASHING LEVEL	 WASHING LEVEL		
<b>110</b> bar max	<b>120</b> bar max	<b>130</b> bar max	<b>140</b> bar max	<b>160</b> bar max	<b>130</b> bar max	<b>145</b> bar max	<b>150</b> bar max
<b>360</b> l/h max	<b>360</b> l/h max	<b>420</b> l/h max	<b>420</b> l/h max	<b>510</b> l/h max	<b>520</b> l/h max	<b>450</b> l/h max	<b>570</b> l/h max
<b>1500</b> W	<b>1700</b> W	<b>1900</b> W	<b>2100</b> W	<b>2800</b> W	<b>2,5</b> HP	<b>2300</b> W	<b>3000</b> W






## 3T line



<i>Temporale</i>	<i>Tempesta</i>	<i>Tormenta</i>
 WASHING LEVEL	 WASHING LEVEL	 WASHING LEVEL
<b>130</b> bar max	<b>145</b> bar max	<b>160</b> bar max
<b>420</b> l/h max	<b>480</b> l/h max	<b>510</b> l/h max
<b>1900</b> W	<b>2400</b> W	<b>2800</b> W



## Power 15



Code

8.072.0612



8013298166886



110 bar max - 1595 psi max



360 l/h max - 1.59 GPM (USA) max



UNIVERSAL

1500 W - 230 V ~ 50/60 Hz



6,8 Kg



30 x 25 h 53 cm.



48 Pz




20 feet: 528 Pz - 40 feet: 1200 Pz




gun with hose m. 3

6.001.0049



fixed fan jet lance

6.002.0238



turbo lance

6.002.0272



foam lance

6.002.0259



bar 110-120

**LAVOR**

## Sonic 15




Code	8.079.0001
	8013298166565
	110 bar max - 1595 psi max
	360 l/h max - 1.59 GPM (USA) max
	1500 W - 230 V ~ 50/60 Hz
	6,7 Kg
	27 x 24 h 50 cm.
	60 Pz
	20 feet: 660 Pz - 40 feet: 1500 Pz




gun with hose m. 3

6.001.0049



fixed fan jet lance

6.002.0238



turbo lance

6.002.0272




foam lance

6.002.0259



## Washer 15 + Slider



Code

8.068.0605



8013298166657



110 bar max - 1595 psi max



360 l/h max - 1.59 GPM (USA) max



UNIVERSAL

1500 W - 230 V ~ 50/60 Hz



9,2 Kg



37 x 37 h 50 cm.



24 Pz




20 feet: 264 Pz - 40 feet: 600 Pz



gun with hose m. 3

6.001.0049



fixed fan jet lance

6.002.0238



patio cleaner

6.008.0201



foam lance

6.002.0259





bar 110-120

**LAVORO**

## Starjet 17



Code

8.079.0002



8013298166800



120 bar max - 1740 psi max



360 l/h max - 1.59 GPM (USA) max



1700 W - 230 V ~ 50/60 Hz



7,3 Kg



27 x 24 h 50 cm.



60 Pz




20 feet: 660 Pz - 40 feet: 1500 Pz



gun with hose m. 3

6.001.0049



fixed fan jet lance

6.002.0238



turbo lance

6.002.0272



foam lance

6.002.0259

## Power 17



Code

8.072.0611



8013298166664



120 bar max - 1740 psi max



360 l/h max - 1.59 GPM (USA) max



1700 W - 230 V ~ 50/60 Hz



8 Kg



27 x 29 h 54 cm.



48 Pz




20 feet: 528 Pz - 40 feet: 1200 Pz




gun with hose m. 3

6.001.0049



fixed fan jet lance

6.002.0238



turbo lance

6.002.0272



foam lance

6.002.0259






bar 110-120

**LAVOR**

## Washer 17



Code

8.068.0606



8013298166671



120 bar max - 1740 psi max



360 l/h max - 1.59 GPM (USA) max



1700 W - 230 V ~ 50/60 Hz



8,6 Kg



30 x 27 h 54 cm.




36 Pz



20 feet: 396 Pz - 40 feet: 900 Pz



gun with hose m. 3



fixed fan jet lance




turbo lance



foam lance



## Washer 19



Code

8.068.0602



8013298165179



130 bar max - 1885 psi max



420 l/h max - 1.85 GPM (USA) max



1900 W - 230 V ~ 50/60 Hz



8,6 Kg



30 x 27 h 54 cm.



36 Pz



20 feet: 396 Pz - 40 feet: 900 Pz



6.001.0046

**Standard gun**



4.018.0010

**6 m. h.p. hose**



adjustable fan jet lance

6.002.0279



turbo lance

**TURBO**

6.002.0272



6.002.0259

**foam lance**





bar 130-140

**LAVOR**

## Tiger 19



Code

8.061.0909



8013298166572



130 bar max - 1885 psi max



420 l/h max - 1.85 GPM (USA) max



UNIVERSAL

1900 W - 230 V ~ 50/60 Hz



9,8 Kg



38 x 29 h 54 cm.



32 Pz



20 feet: 352 Pz - 40 feet: 800 Pz

**Standard gun**



6.001.0046

**6 m. h.p. hose**



4.018.0010

**adjustable fan jet lance**



6.002.0279



**turbo lance**



6.002.0272



**foam lance**



6.002.0259





## TF 19 + Foamer



Code

8.061.0901



8013298164714



130 bar max - 1885 psi max



420 l/h max - 1.85 GPM (USA) max



1900 W - 230 V ~ 50/60 Hz



10,5 Kg



38 x 29 h 54 cm.



32 Pz



20 feet: 352 Pz - 40 feet: 800 Pz



6.001.0046

Standard gun



4.018.0010

6 m. h.p. hose



6.010.0036

high pressure lance/high  
pressure soap sprayer



6.002.0272

turbo lance





bar 130-140

**LAVOR**

## Skipper 19



Code

8.073.0004



8013298164981



130 bar max - 1885 psi max



420 l/h max - 1.85 GPM (USA) max



UNIVERSAL

1900 W - 230 V ~ 50/60 Hz



10,1 Kg



38 x 29 h 54 cm.



32 Pz



20 feet: 352 Pz - 40 feet: 800 Pz



6.001.0046

**Standard gun**



4.018.0028

**8 m. h.p. hose**



6.002.0215



turbo lance

**TURBO**

6.002.0272



3.601.0074



**rotary brush**



## Temporale



**Full assembled**

Code

8.073.0013



8013298166794



130 bar max - 1885 psi max



420 l/h max - 1.85 GPM (USA) max



1900 W - 230 V ~ 50/60 Hz



11,3 Kg



35 x 36 h 85 cm.



15 Pz




20 feet: 165 Pz - 40 feet: 360 Pz



6.001.0068

**Standard gun with pressure gauge quick connection**



4.018.0089

**8 m. h.p. reinforced hose**



6.002.0215



6.002.0272













LAVOR 

## A yellow and black LAVORO vacuum cleaner. It has a large yellow oval body with the brand name 'LAVORO' in silver letters. A black carrying handle is attached to the top, and a small black wheel is visible at the bottom left. A black hose is connected to the side.



Code	8.026.0903
	8013298166558
	140 bar max - 2030 psi max
	420 l/h max - 1.85 GPM (USA) max
 INDUCTION	2100 W - 230 V ~ 50 Hz
 Kg	16 Kg
	34 x 31 h 55 cm.
	36 Pz
	20 feet: 396 Pz - 40 feet: 900 Pz



### Standard gun



**8 m. h.p. hose**




**foam lance**



# Independent 1900



GASOLINE



Code	8.601.0103
	8013298166541
	130 bar max - 1900 psi max
	520 l/h max - 2.3 GPM (USA) max
	2,5 HP - 3600 RPM - 4 stroke
	14 Kg
	48 x 39 h 51 cm.
	18 Pz
	20 feet: 180 Pz - 40 feet: 396 Pz



6.001.0046

Standard gun



4.018.0051

5 m. h.p. hose



6.002.0213

adjustable fan jet lance



foam lance



6.002.0259





bar 130-140

**LAVOR**

## MHR 20



Code	8.075.0003
	8013298165094
	140 bar max - 2030 psi max
	420 l/h max - 1.85 GPM (USA) max
	2100 W - 230 V ~ 50 Hz
	18 Kg
	37 x 37 h 62 cm.
	18 Pz
	20 feet: 198 Pz - 40 feet: 450 Pz



6.001.0046

Standard gun



4.018.0052

8 m. h.p. hose



6.002.0190

adjustable fan jet lance



6.002.0230

**TURBO**

turbo lance







## Runner 20



Code	8.074.0004
	8013298165216
	140 bar max - 2030 psi max
	420 l/h max - 1.85 GPM (USA) max
	2100 W - 230 V ~ 50 Hz
	18,2 Kg
	37 x 37 h 62 cm.
	18 Pz
	20 feet: 198 Pz - 40 feet: 450 Pz



Standard gun

6.001.0046



8 m. h.p. hose

4.018.0073



adjustable fan jet lance

6.002.0190



turbo lance

6.002.0230






bar 130-140

**LAVORO**

## XTR 1007



**DIESEL**



Code

8.052.0814



8013298022045



135 bar max - 1958 psi max



420 l/h max - 1.85 GPM (USA) max



80° C



2300 W - 230 V ~ 50 Hz



39 Kg



75 x 43 h 70 cm.



8 Pz



20 feet: 80 Pz - 40 feet: 176 Pz




6.001.0053

**Brass gun**



4.618.0084

**8 m. h.p. hose**



6.002.0316



# MHR 24



Code

8.075.0601



8013298166688



145 bar max - 2102 psi max



480 l/h max - 2.12 GPM (USA) max



2400 W - 230 V ~ 50 Hz



22 Kg



37 x 37 h 62 cm.



18 Pz



20 feet: 198 Pz - 40 feet: 450 Pz



6.001.0065

Brass gun with  
pressure gauge  
quick connection



4.018.0052

8 m. h.p. hose



6.002.0186



6.002.0223







bar 145-160

**LAVORO**



## Tempesta




**Full assembled**

Code	8.074.0601
	8013298166725
	145 bar max - 2102 psi max
	480 l/h max - 2.12 GPM (USA) max
	2400 W - 230 V ~ 50 Hz
	20 Kg
	40 x 42 h 100 cm.
	15 Pz
	20 feet: 150 Pz - 40 feet: 330 Pz



6.001.0065

**Brass gun with pressure gauge quick connection**



4.018.0089

**8 m. h.p. reinforced hose**



6.002.0186



turbo lance



6.002.0223



## Thermic 3/S



GASOLINE



Code

8.601.0102



8013298162048



140 bar max - 2030 psi max



510 l/h max - 2.25 GPM (USA) max



3,5 HP - 3200 RPM - 4 stroke



23 Kg



58 x 48 h 55 cm.



16 Pz



20 feet: 160 Pz - 40 feet: 352 Pz



6.001.0046

Standard gun



4.018.0010

6 m. h.p. hose



6.002.0193

adjustable fan jet lance - high/low press.





bar 145-160

**LAVORO**

## Best 24



Code

8.069.0701



8013298166701



145 bar max - 2102 psi max



480 l/h max - 2.12 GPM (USA) max



2400 W - 230 V ~ 50 Hz



22,4 Kg



39 x 39 h 71 cm.



18 Pz



20 feet: 198 Pz - 40 feet: 450 Pz



6.001.0065

**Brass gun with  
pressure gauge  
quick connection**



4.018.0061

**8 m. h.p. hose**



6.002.0186



6.002.0223





## Eagle 24



Code

8.030.0901



8013298166718



145 bar max - 2102 psi max



480 l/h max - 2.12 GPM (USA) max



2400 W - 230 V ~ 50 Hz



26 Kg



60 x 38 h 72 cm.



18 Pz



20 feet: 144 Pz - 40 feet: 360 Pz



**Brass gun with pressure gauge quick connection**



**8 m. h.p. hose**





bar 145-160

**LAVORO**

## Runner 28



**Lance with pressure regulation**

Code

8.074.0602



8013298166787



160 bar max - 2320 psi max



510 l/h max - 2.25 GPM (USA) max



2800 W - 230 V ~ 50 Hz



24 Kg



37 x 37 h 62 cm.



18 Pz



20 feet: 198 Pz - 40 feet: 450 Pz



**Brass gun with pressure gauge quick connection**



**8 m. h.p. hose**



**lance with pressure regulation**



**turbo lance**

**TURBO**





## Best 28



**BRASS PUMP**



**Lance with pressure regulation**



6.001.0065

**Brass gun with pressure gauge quick connection**



4.018.0061

**8 m. h.p. hose**



6.002.0304

**lance with pressure regulation**



6.002.0223

**turbo lance**

**TURBO**



Code

8.069.0703



8013298164028



160 bar max - 2320 psi max



510 l/h max - 2.25 GPM (USA) max



INDUCTION

2800 W - 230 V ~ 50 Hz



25 Kg



39 x 39 h 71 cm.



18 Pz



20 feet: 198 Pz - 40 feet: 450 Pz





bar 145-160

**LAVOR**



## Eagle 28



**BRASS PUMP**



**Lance with pressure regulation**

Code	8.030.0902
	8013298166756
	160 bar max - 2320 psi max
	510 l/h max - 2.25 GPM (USA) max
	2800 W - 230 V ~ 50 Hz
	27 Kg
	60 x 38 h 72 cm.
	18 Pz
	20 feet: 144 Pz - 40 feet: 360 Pz



6.001.0065

**Brass gun with pressure gauge quick connection**



4.018.0052

**8 m. h.p. hose**



6.002.0304

**lance with pressure regulation**



6.002.0223

**TURBO**

**turbo lance**





## Tormenta



Full assembled



BRASS PUMP




Lance with pressure regulation

Code	8.078.0001
	8013298166893
	160 bar max - 2320 psi max
	510 l/h max - 2.25 GPM (USA) max
	2800 W - 230 V ~ 50 Hz
	25,3 Kg
	40 x 42 h 105 cm.
	10 Pz
	20 feet: 110 Pz - 40 feet: 250 Pz



6.001.0065

Brass gun with pressure gauge quick connection



4.018.0067

8 m. h.p. reinforced hose



6.002.0304

lance with pressure regulation



6.002.0223

turbo lance





bar 145-160

**LAVOR**


## Independent 2300



**GASOLINE**



**OPTIONAL**



Code

8.601.0105



8013298166992



160 bar max - 2320 psi max



540 l/h max - 2.4 GPM (USA) max



5,5 HP - 3600 RPM - 4 stroke



35 Kg



50 x 56 h 66 cm.



12 Pz



20 feet: 80 Pz - 40 feet: 176 Pz



6.001.0050

**Brass gun**



4.618.0128

**8 m. h.p. hose**



6.002.0322

**metal lance**



5.012.0282

**nozzle set**





# Hurricane

**HFR**  
DOUBLE CLEANING SYSTEM

480 l/h

900 l/h



6.001.0065



4.018.0082



6.002.0314



Code

8.070.0001



8013298165087



145 bar max - 2102 psi max



480 ÷ 900 l/h max - 2.12 ÷ 3.97 GPM (USA) max



INDUCTION

2400 W - 230 V ~ 50 Hz



24 Kg



39 x 39 h 71 cm.



18 Pz



20 feet: 198 Pz - 40 feet: 450 Pz

Brass gun with  
pressure gauge  
quick connection

8 m. h.p. hose

lance three nozzle



bar 145-160

**LAVOR**



## Rio 1108



Code	8.052.0801
	8013298020874
	145 bar max - 2102 psi max
	450 l/h max - 1.98 GPM (USA) max
	90° C
	2300 W - 230 V ~ 50 Hz
	51 Kg
	63 x 43 h 73 cm.
	8 Pz
	20 feet: 80 Pz - 40 feet: 176 Pz



Brass gun




8 m. h.p. reinforced hose



adjustable fan jet lance - high/low press.





# MEK 1108



Code	8.619.0610
	8013298021987
	145 bar max - 2102 psi max
	450 l/h max - 1.98 GPM (USA) max
	90° C
	2300 W - 230 V ~ 50 Hz
	72 Kg
	82 x 60 h 87 cm.
	1 Pz
	20 feet: 44 Pz - 40 feet: 92 Pz




6.001.0053

Brass gun



4.018.0084

8 m. h.p. hose



6.002.0309

adjustable fan jet lance - high/low press.








bar 145-160

**LAVOR**



## Missouri 1310



Code	8.619.0601
	8013298021024
	150 bar max - 2175 psi max
	570 l/h max - 2.5 GPM (USA) max
	90° C
	3000 W - 230 V ~ 50 Hz
	77 Kg
	82 x 60 h 87 cm.
	1 Pz
	20 feet: 44 Pz - 40 feet: 92 Pz




6.001.0053

Brass gun



4.618.0049


8 m. h.p. reinforced hose



3.701.0015

lance high/low press.





## Paranà 1310




Code	8.617.0601
	8013298020652
	150 bar max - 2175 psi max
	570 l/h max - 2.5 GPM (USA) max
	90° C
	3000 W - 230 V ~ 50 Hz
	67 Kg
	82 x 60 h 87 cm.
	1 Pz
	20 feet: 44 Pz - 40 feet: 92 Pz



Brass gun



8 m. h.p. reinforced hose




lance high/low press.





bar 145-160

**LAVOR**



## Yukon 1310



**DIESEL**




Code	8.618.0001
	8013298020898
	160 bar max - 2320 psi max
	600 l/h max - 2.6 GPM (USA) max
	90° C
	3000 W - 230 V ~ 50 Hz
	70 Kg
	110 x 68 h 96 cm.
	1 Pz
	20 feet: 32 Pz - 40 feet: 64 Pz



**Brass gun**



**8 m. h.p. reinforced hose**



**lance high/low press.**





## Accessories set:

Code 6.008.0200



## GARDEN KIT



## OUTDOOR KIT



Code 6.008.0199



Code 6.008.0177



## CAR WASH KIT



## Accessories:



**Surfer**  
PATIO CLEANER

Code 6.008.0151



**Foamer**

Code 6.010.0036




The unique high-pressure foaming lance that allows high-pressure detergent or parasticide spreading.




## Accessories set:

### 6.005.0259




3 x 6.010.0007 - 1 x 6.010.0036 - 3 x 6.010.0012 -  
3 x 6.010.0006 - 3 x 6.010.0013 - 3 x 6.010.0017 -  
3 x 6.010.0003 - 2 x 6.010.0016 - 3 x 6.010.0002 -  
2 x 6.010.0001 - 1 x 6.010.0018 - 3 x 6.010.0005 -  
2 x 3.601.0028 - 2 x 3.601.0051 - 2 x 3.601.0049 -  
1 x 6.008.0177 - 1 x 6.008.0199 - 1 x 6.008.0200 -  
2 x 6.008.0151 - 2 x 6.010.0081 - 4 x 6.009.0094 -  
4 x 6.009.0093 - 2 x 6.009.0098.

### 6.005.0261 (no detergent)



2 x 6.010.0008 - 2 x 6.010.0009 - 3 x 6.010.0007 -  
3 x 6.010.0012 - 3 x 6.010.0006 - 3 x 6.010.0013 -  
3 x 6.010.0017 - 3 x 6.010.0003 - 2 x 6.010.0016 -  
3 x 6.010.0004 - 3 x 6.010.0002 - 2 x 6.010.0001 -  
1 x 6.010.0018 - 3 x 6.010.0005 - 2 x 6.003.0032 -  
2 x 6.008.0151 - 2 x 6.010.0081 - 4 x 6.009.0094 -  
4 x 6.009.0093 - 2 x 6.009.0098.

### 6.005.0257 (no detergent)



3 x 6.010.0007 - 2 x 6.010.0012 - 2 x 6.010.0006 -  
2 x 6.010.0013 - 2 x 6.010.0017 - 2 x 6.010.0003 -  
1 x 6.010.0016 - 3 x 6.010.0002 - 2 x 6.010.0001 -  
3 x 6.010.0005 - 2 x 6.008.0151 - 2 x 6.010.0081 -  
4 x 6.009.0094 - 4 x 6.009.0093 - 1 x 6.009.0098.

### 6.005.0260

3 x 6.010.0007 - 1 x 6.010.0036 - 3 x 6.010.0012 - 3 x 6.010.0006 -  
3 x 6.010.0013 - 3 x 6.010.0017 - 3 x 6.010.0003 - 2 x 6.010.0016 -  
3 x 6.010.0002 - 2 x 6.010.0001 - 1 x 6.010.0018 - 3 x 6.010.0005 -  
2 x 3.601.0028 - 2 x 3.601.0051 - 2 x 3.601.0049 - 1 x 6.008.0177 -  
1 x 6.008.0199 - 1 x 6.008.0200 - 2 x 6.008.0151 - 2 x 6.010.0081 -  
4 x 6.009.0094 - 4 x 6.009.0093 - 2 x 6.009.0098.

### 6.005.0262 (no detergent)

2 x 6.010.0008 - 2 x 6.010.0009 - 3 x 6.010.0007 - 3 x 6.010.0012 -  
3 x 6.010.0006 - 3 x 6.010.0013 - 3 x 6.010.0017 - 3 x 6.010.0003 -  
2 x 6.010.0016 - 3 x 6.010.0004 - 3 x 6.010.0002 - 2 x 6.010.0001 -  
1 x 6.010.0018 - 3 x 6.010.0005 - 2 x 6.003.0032 - 2 x 6.008.0151 -  
2 x 6.010.0081 - 4 x 6.009.0094 - 4 x 6.009.0093 - 2 x 6.009.0098.



































Cm. 100 x 60 h 230



Cm. 75 x 52 h 210






















# Accessories

	6.010.0007	 <b>Foam lance</b>
	6.010.0036	   <b>Foamer lance</b>
	6.010.0012	   <b>Lance</b>
	6.010.0013	 <b>Turbo lance</b>
	6.010.0006	   <b>Lance</b>
	6.010.0017	  <b>m.6</b>
	6.010.0003	  <b>m.6</b>
	6.010.0016	  <b>m.15</b>
	6.010.0004	 <b>Sand blasting</b>
	6.010.0002	 <b>Fixed brush</b>
	6.010.0001	 <b>Rotary brush</b>
	6.010.0018	 <b>Floor washing brush</b>
	6.008.0151	<b>Surfer patio cleaner</b>





## Accessories

	6.010.0005	<b>3 universal adapter set</b>
	6.009.0093	<b>Quick coupling</b>
	6.009.0094	<b>Quick coupling</b>
	6.010.0081	<b>Water filter</b>
	6.009.0098	<b>Water connection set (2,5 m.)</b>
	pz. 12 x 2 lt. 0.010.0030	  <b>Car detergent</b>
	pz. 12 x 2 lt. 0.010.0029	  <b>Sprayer detergent</b>
	pz. 12 x 2 lt. 0.010.0031	  <b>Texil detergent</b>
	pz. 12 x 2 lt. 0.010.0033	  <b>Muscal detergent</b>
	pz. 6 x 5 Kg. 0.011.0001	 <b>Calibrated Sand</b>



## Lavor line


# Lavor line




<i>Hobby vac</i>	<i>Quattordici S</i>	<i>Venti</i>	<i>Venti X</i>	<i>Trenta XE</i>	<i>PRO vac</i>
<b>1,8</b> lt.	<b>14</b> lt.	<b>20</b> lt.	<b>20</b> lt.	<b>30</b> lt.	<b>27</b> lt.
<b>800 (max 1000)</b> W	<b>1400 (max 1600)</b> W	<b>1400 (max 1600)</b> W	<b>1400 (max 1600)</b> W	<b>1400 (max 1600)</b> W	<b>1200 (max 1400)</b> W
<b>225</b> mbar	<b>270</b> mbar	<b>270</b> mbar	<b>270</b> mbar	<b>270</b> mbar	<b>225</b> mbar
<b>20</b> l/s	<b>70</b> l/s	<b>70</b> l/s	<b>70</b> l/s	<b>70</b> l/s	<b>35</b> l/s



# Hobby vac



**AUTOMATIC ON/OFF**



**75 dB (A)**




Code	0.052.0002
	8013298040513
	1,8 lt.
	800 W (max 1000 W) - 230 V ~ 50 Hz
	225 mbar - 22 kPa
	20 l/s
	4,6 Kg
	26 x 30 h 31 cm.
	72 Pz
	20 feet: 792 Pz - 40 feet: 1800 Pz





Quattordici S



Steel



75 dB (A)




Code	8.228.0004
	8013298063208
	14 lt.
	1400 W (max 1600 W) - 230 V ~ 50 Hz
	270 mbar - 27 kPa
	70 l/s
	6,5 Kg
	39 x 39 h 44 cm.
	30 Pz
	20 feet: 330 Pz - 40 feet: 750 Pz





## Quattordici SE

AUTOMATIC



wet & dry

**Steel**



**75 dB (A)**



4 m




2 m



Code	8.228.0009
	8013298063178
	14 lt.
	1400 W (max 1600 W) - 230 V ~ 50 Hz
	270 mbar - 27 kPa
	70 l/s
	6,7 Kg
	39 x 39 h 44 cm.
	30 Pz
	20 feet: 330 Pz - 40 feet: 750 Pz












## Venti




**75 dB (A)**



Code	8.228.0001
	8013298063055
	20 lt.
	1400 W (max 1600 W) - 230 V ~ 50 Hz
	270 mbar - 27 kPa
	70 l/s
	8 Kg
	39 x 39 h 44 cm.
	30 Pz
	20 feet: 330 Pz - 40 feet: 750 Pz



## Venti X



**INOX**



**75 dB (A)**




Code	8.228.0002
	8013298063062
	20 lt.
	1400 W (max 1600 W) - 230 V ~ 50 Hz
	270 mbar - 27 kPa
	70 l/s
	9 Kg
	39 x 39 h 55 cm.
	24 Pz
	20 feet: 264 Pz - 40 feet: 600 Pz





**AUTOMATIC**


## Venti XE



wet &amp; dry

**INOX**

**75 dB (A)**


7,5 mt



4 mt




Code	8.228.0003
	8013298063079
	20 lt.
	1400 W (max 1600 W) - 230 V ~ 50 Hz
	270 mbar - 27 kPa
	70 l/s
	9,5 Kg
	39 x 39 h 55 cm.
	24 Pz
	20 feet: 264 Pz - 40 feet: 600 Pz





## Trenta X



wet & dry

**INOX**




**75 dB (A)**




Code	8.228.0005
	8013298063154
	30 lt.
	1400 W (max 1600 W) - 230 V ~ 50 Hz
	270 mbar - 27 kPa
	70 l/s
	9,3 Kg
	37 x 37 h 71 cm.
	18 Pz
	20 feet: 198 Pz - 40 feet: 450 Pz



AUTOMATIC



## Trenta XE



wet & dry

**INOX**



**75 dB (A)**



↔ 7,5 mt



↔ 4 mt



Code	8.228.0006
	8013298063161
	30 lt.
	1400 W (max 1600 W) - 230 V ~ 50 Hz
	270 mbar - 27 kPa
	70 l/s
	9,8 Kg
	37 x 37 h 71 cm.
	18 Pz
	20 feet: 198 Pz - 40 feet: 450 Pz



## PRO vac



**75 dB (A)**



6 mt



2 mt



Code	0.052.0001
	8013298040506
	27 lt.
	1200 W (max 1400 W) - 230 V ~ 50 Hz
	225 mbar - 22 kPa
	35 l/s
	9,9 Kg
	51 x 56 h 36 cm.
	16 Pz
	20 feet: 176 Pz - 40 feet: 400 Pz






# Libeccio LX150F



DOUBLE STAGE

INOX



wet & dry



75 dB (A)



7,5 mt



2,5 mt



Code	8.215.0517
	8013298062973
	50 lt.
	1200 W (max 1400 W) - 230 V ~ 50 Hz
	240 mbar - 23,6 kPa
	55 l/s
	30 Kg
	60 x 48 h 72 cm.
	4 Pz
	20 feet: 40 Pz - 40 feet: 88 Pz





## Ashley plus



**75 dB (A)**



Code	8.226.0001
	8013298062850
	14 + 14 lt.
	1200 W (max 1400 W) - 230 V ~ 50 Hz
	200 mbar - 20,39 kPa
	67 l/s
	9 Kg
	37 x 37 h 71 cm.
	18 Pz
	20 feet: 198 Pz - 40 feet: 450 Pz



# GBP-20

**NO-STOP  
REFILLING**

wet & dry



**75 dB (A)**



4 mt



1,8 mt



Code

8.204.0047



8013298062775



20 lt.



1200 W (max 1400 W) - 230 V ~ 50 Hz



225 mbar - 22,05 kPa



52 l/s



9,5 Kg



40 x 39 h 64 cm.



18 Pz



20 feet: 198 Pz - 40 feet: 450 Pz



## Accessories

**Ashley**



Code	0.049.0001
	8013298040407
	22 lt.
	-
	-
	-
	3 Kg.
	35 x 35 h 40 cm.
	36 Pz
	20 feet: 396 Pz - 40 feet: 900 Pz





## Accessories

### ***Pellets filter***







Code 5.212.0033



**Special FILTER  
for "pellet stovers"**



# Accessories

					EFFICIENCY	Hobby vac	Quattordici S	Quattordici SE	Venti	Venti X	Venti XE	Trenta X	Trenta XE	PRO vac	Libeccio LX150F	Ashley plus	GBP-20
	4.208.0063	x 1	Multidiameter tool adapter				X				X		X				
	3.754.0018	x 1	Brush for radiators				X	X	X	X	X	X	X			X	X
	0.952.0020	x 5+1	Cloth collector bag + filter	★★★★★		X											
	0.952.0007	x 1	HEPA filter	★★★★★										X			
	5.212.0004	x 5	Fabric filter													X	X
	5.212.0005	x 10	Paper filter set	★★★★★												X	X
	5.212.0016	x 5	Paper collector bag set	★★★★★			X	X	X	X	X	X	X	X		X	X
	5.212.0022	x 10	Paper collector bag set	★★★★★											X		
	5.209.0052	x 1	Cloth filter	★★★★★												X	
	3.752.0155	x 1	Nylon filter	★★★★★												X	
	5.212.0029	x 1	Cartridge filter	★★★★★			X	X	X	X	X	X	X				
	0.952.0018	x 1	Cartridge filter	★★★★★										X			
	5.212.0006	x 1	Cartridge filter with of assembly set	★★★★★											X	X	X
	5.212.0010	x 1	HEPA filter with of assembly set	★★★★★												X	X
	5.212.0020	x 1	Washable filter with of assembly set	★★★★★												X	X
	5.212.0030	x 1	Foam filter (liquid)				X	X	X	X	X	X	X				
	0.952.0008	x 1	Foam filter (liquid)											X			
	6.205.0011	x 1	Foam filter (liquid)												X	X	X

## Multicleaners line



<i>TRIÓ multifunctions</i>	<i>TRIÓ Deluxe multifunctions</i>	<i>Multiper4</i>
<b>140°</b> C	<b>140°</b> C	<b>135°</b> C
<b>4</b> bar	<b>4</b> bar	<b>3</b> bar
<b>engine 1000</b> W	<b>engine 1000</b> W	<b>engine 1200 (max 1400)</b> W
<b>boiler 1250</b> W	<b>boiler 1500</b> W	<b>1650</b> W
-	<b>NO STOP REFILLING</b>	<b>NO STOP REFILLING</b>






## TRIO multifunctions

4 bar



**OPTIONAL**


code 0.941.0083



Code	0.041.0001
	8013298062331
	140° C
	4 bar
	200 mbar - 20.39 kPa
	1000 W - 230 V ~ 50 Hz
	1250 W - 230 V ~ 50 Hz
	15 Kg
	58 x 40 h 43 cm.
	20 Pz
	20 feet: 220 Pz - 40 feet: 500 Pz













## TRIÓ Deluxe multifunctions



## OPTIONAL

code 0.941.0083



Code	0.041.0002
	8013298062348
	140° C
	4 bar
	200 mbar - 20.39 kPa
	1000 W - 230 V ~ 50 Hz
	1500 W - 230 V ~ 50 Hz
	15 Kg
	58 x 40 h 43 cm.
	20 Pz
	20 feet: 220 Pz - 40 feet: 500 Pz













## Multiper 4



**OPTIONAL**

code 6.401.0008



Code	8.203.0015
	8013298063086
	135° C
	3 bar
	225 mbar - 22,05 kPa
	1200 (max 1400) W - 230 V ~ 50 Hz
	1650 W - 230 V ~ 50 Hz
	11 Kg
	40 x 39 h 64 cm.
	18 Pz
	20 feet: 198 Pz - 40 feet: 450 Pz



**WASHABLE FILTER**





## Sweepers line



<i><b>BSW 600</b></i>	<i><b>SWP 650</b></i>	<i><b>BSW 650 M</b></i>
<b>2500</b> m <sup>2</sup> /h	<b>1900</b> m <sup>2</sup> /h	<b>2500</b> m <sup>2</sup> /h
<b>580</b> mm	<b>500</b> mm	<b>500/700</b> mm
<b>20</b> lt.	<b>13,5</b> lt.	<b>30</b> lt.



# BSW 600



Code

8.820.0050



8022324030206



580 mm max



-



2 x Ø 290 mm



20 lt.



9,5 Kg.



26 x 59 h 62 cm.



21 Pz



20 feet: 231 Pz - 40 feet: 525 Pz



# SWP 650



Code

0.004.0006



017932019996



500 mm max



380 mm



Ø 190 mm



13,5 lt.



7,70 Kg.



58 x 70 h 21 cm.



21 Pz



20 feet: 231 Pz - 40 feet: 525 Pz



## BSW 650 M



Code	0.042.0001
	8013298150038
	700 mm max
	500 mm
	Ø 300 mm
	30 lt.
	29,5 Kg.
	77 x 93 h 43 cm.
	5 Pz
	20 feet: 55 Pz - 40 feet: 125 Pz





## Garden line



	<i>SWP 650</i>	<i>BSW 650 M</i>
	<b>1400 (max 1600)</b> W	<b>1400 (max 1600)</b> W
	<b>270</b> mbar	<b>270</b> mbar
	<b>70</b> l/s	<b>70</b> l/s



## Pondy





Code	8.227.0004
	8013298164028
	1400 W (max 1600 W) - 230 V ~ 50 Hz
	270 mbar - 27 kPa
	70 l/s
	1,2 m.
	9 Kg
	37 x 37 h 71 cm.
	18 Pz
	20 feet: 198 Pz - 40 feet: 450 Pz





# Swimmy



Code	8.227.0005
	8013298063130
	1400 W (max 1600 W) - 230 V ~ 50 Hz
	270 mbar - 27 kPa
	70 l/s
	1,2 m.
	9 Kg
	37 x 37 h 71 cm.
	18 Pz
	20 feet: 198 Pz - 40 feet: 450 Pz



## Lavor collection 2008/2009

A range of article made of top-quality materials, handy as our products, smart as our design.



*Spring/Summer collection*



Cod. 7.197.0044



size L Cod. 7.197.0049  
size XL Cod. 7.197.0064



size M Cod. 7.197.0046  
size L Cod. 7.197.0061  
size XL Cod. 7.197.0062



size L Cod. 7.197.0129  
size XL Cod. 7.197.0130



size L Cod. 7.197.0048  
size XL Cod. 7.197.0063



size L Cod. 7.197.0065  
size XL Cod. 7.197.0066



*Autumn/Winter collection*

Code 7.197.0076



size L Cod. 7.197.0092  
size XL Cod. 7.197.0093



size L Cod. 7.197.0094  
size XL Cod. 7.197.0095



size M Cod. 7.197.0082  
size L Cod. 7.197.0083  
size XL Cod. 7.197.0084





Supporto avvolgicavo - *Cable holder* - Support cable  
- *Soporte cable* - Kabel-aufwicklungshalter




Supporto tubo alta pressione - *High-pressure hose holder* - Support flexible haute pression - *Soporte manguera* - Hochdruckschlauch-halter



Indicatore di pressione - *Pressure indicator* - Indicator de pression - *Indicador de presion* - Druckanzeiger



Avvolgitubo - *Hose-reel* - Enrouleur de flexible  
- *Enrolla manguera* - Schlauchaufwicklung



Aspirazione detergente diretta con serbatoio incorporato - *Built-in detergent tank for direct suction* - Bac à détergent incorporé, aspiration directe - *Aspiracion de detergente directa del depósito incorporado* - Direct-reinigungsansaugung mit integriertem behälter



Lancia schiuma - *Foam lance* - Lance mousse - *Lanza de espuma* - Schaumlanze



Porta accessori - *Accessory holder* - Porte-accessoires  
- *Soporte para accesorios* - Zubehoer-halterung



Carrellata - *Trolley* - Chariot - *Carretilla* - Fahrbar



Non previsto - *Not foreseen* - Pas prévu  
- *No presupuestado* - Nicht vorhanden



Di serie - *Standard* - De série - *De serie*  
- Serienmaessig



A richiesta - *On request* - Sur demande - *Bajo pedido*  
- Auf anfrage

## GENERAL TERMS OF SALE

Goods travel at buyers's risk.

Images and technical specifications of products and accessories are not binding and can be modified without notice.

valid as from 01/01/2008.





**LAVORWASH S.p.A.** J.F.Kennedy, 12 - 46020 Pegognaga (MN) Italy - Tel. +39 0376 55431 - Fax +39 0376 558927  
E-mail: [info@lavorwash.it](mailto:info@lavorwash.it) - WebSite: [www.lavorwash.it](http://www.lavorwash.it)